PARKET & GÓLF
- gerir hús að heimili

Linoleum dúkur & Vinyl dúkur

137-073 2,5 mm

Linoleum - Colorette

137-073 = 235,8m² (2,5mm)

Rúllustærðir í boði:
28,45m - 30,45m – 28,55m – 30,45m

Technical Specifications Specification according to EN 548 / EN ISO 24011			Colorette PUR 2.5	Colorette PUR 3.2
CHARACTERISTICS	**STANDARD**	**UNIT**	**RESULT**	**RESULT**
Type of flooring	EN 548 / EN ISO 24011		Linoleum with PUR Eco System surface protection	Linoleum with PUR Eco System surface protection
Safety Criteria				
Flammability	EN 13501-1	Class	C_{fl} - s1*	C_{fl} - s1*
Slip resistance	BGR 181	Group	R 9	R 9
General properties				
Sheet width / Sheet length	EN 426	cm / m	200 / 20 - 31	200 / 20 - 31
Overall thickness	EN 428	mm	2.5	3.2
Classification according to EN 685 / EN ISO 10874				

Classification domestic – heavy | Classification commercial – very heavy | Classification industrial – general

EN 14041: 2004
05
1658-CPD-1003

* adhered according to certificate, see www.armstrong.eu/my (Downloadcenter)
For Installation and maintenance recommendations and detailed technical data please check the Internet: www.armstrong-flooring.co.uk/my

PARKET & GÓLF

Linoleum - Marmorette

dusty blue
NCS: S 4020-R90B

125-023	2,0/2,5 mm
121-023	2,5/3,2 mm

121-023 = 61,3m² (2,5mm)

Rúllustærðir í boði:
30,65m

Technical Specifications Specification according to EN 548 / EN ISO 24011			Marmorette PUR 2.0	Marmorette PUR 2.5
CHARACTERISTICS	**STANDARD**	**UNIT**	**RESULT**	**RESULT**
Type of flooring	EN 548 / EN ISO 24011		Linoleum with PUR Eco System surface protection	Linoleum with PUR Eco System surface protection
Safety Criteria				
Flammability	EN 13501-1	Class	C_{fl} - s1*	C_{fl} - s1*
Slip resistance	BGR 181	Group	R 9	R 9
General properties				
Sheet width / Sheet length	EN 426	cm / m	200 / 20 - 31	200 / 20 - 31
Overall thickness	EN 428	mm	2.0	2.5
Classification according to EN 685 / EN ISO 10874				
Marmorette PUR 2.0				
Classification domestic – heavy	Classification commercial – general		Classification industrial – moderate	
Marmorette PUR 2.5				
Classification domestic – heavy	Classification commercial – very heavy		Classification industrial – general	

EN 14041: 2004
05
1658-CPD-1003

* adhered according to certificate, see www.armstrong.eu/my (Downloadcenter)
For Installation and maintenance recommendations and detailed technical data please check the Internet: www.armstrong-flooring.co.uk/my

Linoleum - Marmocor

132-053 Flint Grey

132-053 = 258,3m²(2,5mm)

Rúllustærðir í boði:
10,50m – 29,95m – 28,75m – 29,95m – 30m

132-054 Ice Blue

132-054 = 473m²(2,5mm)

Rúllustærðir í boði:
31,45m – 21,5m – 21,5m – 31,5m – 23,9m – 19,10m – 31,5m – 25m – 31,05m