

HARO Stairs

Improves the aesthetics
of rooms step by step

Panelling for stairs made of original HARO Parquet

Whether you have a concrete staircase or self-supporting stairs, with Haro Stairs you can design your living space individually and integrate your staircase as a connecting design object - in the same style or contrasting your HARO Floor.

The various options for the panelling of stairs are made of original HARO Parquet. Regardless of whether you need block steps, format boards or just stair nosings, HARO has the right product for you and your individual taste in its range.



Block steps

for use on self-supporting and concrete stairs
Top, bottom and all 4 sides are made of original HARO Parquet.



Complete steps 3 in 1

for cladding concrete stairs.

Tread, front and riser in one, made of original HARO Parquet.



Complete step 3 in 1 'Modern'

without edge strip (1).

with edge strip (2).

Format boards

for cladding concrete stairs.

Tread and front in one, made of original HARO Parquet.



Format board „Classic“

with angled front edge (1).

optionally available with angled edge on the side (2).



Format board „Modern“

with connection to the riser (1).

without connection (2).

Risers

matching risers made of original parquet or MDF white matt finish.



Side edging

for cladding concrete stairs

All components have a mitre joint on the right and/or left side.



Riser made of original parquet with connection on one side (1).

Riser without connection, MDF white finish (2).

Riser made of original parquet without connection (3).

Stair nosings

The entry system for cladding concrete stairs.



60 x 60 mm

Connection on one side.



120 x 60 mm

Connection on both sides.



60 x 40 x 20 mm

Angled.

Block steps made of original HARO Parquet Plank 1-Strip boards



straight step



winding step

Block steps made of original HARO Parquet Plank 1-Strip boards

for self-supporting and concrete stairs as well as window sills.

Top and bottom, as well as all 4 sides are made of original HARO Parquet. Can be manufactured from any HARO 3-layer Plank 1-Strip Parquet. Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 350 mm	PG1	540553		
	PG2	540574		
	PG3	540575		
straight step, long - from 1080 mm Tread depth up to 350 mm	PG1	540576		
	PG2	540577		
	PG3	540578		
winding step	PG1	540579		
	PG2	540580		
	PG3	540581		
Platform 'square'	PG1	540582		
	PG2	540583		
	PG3	540584		
Platform 'rectangular'	PG1	540585		
	PG2	540586		
	PG3	540587		

PG1: Oak, Fir, Beech Steamed, Ash

PG2: Amber Oak, Fumed Oak, African Oak

PG3: Walnut, Canadian Maple

Block steps made of original HARO Longstrip Parquet



straight step



winding step

Block steps made of original HARO Longstrip Parquet

for self-supporting and concrete stairs as well as window sills.

Top and bottom, as well as all 4 sides are made of original HARO Parquet. Can be manufactured from any HARO 3-layer Longstrip Parquet. Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 350 mm	PG1	540597		
	PG2	540598		
	PG3	540599		
straight step, long - from 1080 mm Tread depth up to 350 mm	PG1	540600		
	PG2	540601		
	PG3	540602		
winding step	PG1	540603		
	PG2	540604		
	PG3	540605		
Platform 'square'	PG1	540606		
	PG2	540607		
	PG3	540608		
Platform 'rectangular'	PG1	540609		
	PG2	540610		
	PG3	540611		

PG1: Oak, Beech Steamed, Ash, Sycamore

PG2: Amber Oak

PG3: Walnut, Canadian Maple

The quoted prices are valid for a tread depth of up to 350 mm. Other formats are possible on request.

Matching risers can be found on page 162. parkettmanufaktur on request.

Platforms: Maximum overall dimension = Board length (usually 2200 mm)

Note: For all products from the stairs range, please follow the installation instructions for our parquet floors, which are generally applicable.

Complete steps 3 in 1

made of original HARO Plank 1-Strip Parquet

Complete steps 3 in 1 made of original HARO Plank 1-Strip Parquet

for the cladding of concrete stairs as well as window sills.

Tread, front and riser in one made of original HARO Parquet.

Can be manufactured from any HARO 3-layer Plank 1-Strip Parquet. Dimensions as desired.

Product line order.

Delivery time approx. 5 weeks.



Complete step 3 in 1 - straight



Complete step 3 in 1 - winding

Complete steps 3 in 1, 'Modern'

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 300 mm	PG1	544214		
	PG2	544215		
	PG3	544216		
straight step, long - from 1080 mm Tread depth up to 300 mm	PG1	544217		
	PG2	544218		
	PG3	544219		
winding step	PG1	544220		
	PG2	544221		
	PG3	544222		



with edge strip

Angled edge on the side for format board „Modern“

Edge strip on the right and/or left

	Price group	ID N°	€ excl. VAT	
One sided - right or left	PG1	544223		
	PG2	544224		
	PG3	544225		
Both sides - right and left	PG1	544226		
	PG2	544227		
	PG3	544228		

PG1: Oak, Fir, Beech Steamed, Ash
 PG2: Amber Oak, Fumed Oak, African Oak
 PG3: Walnut, Canadian Maple

The quoted prices are valid for a tread depth of up to 300 mm. Other formats are possible on request.

Matching risers can be found on page 162. parkettmanufaktur on request.

Note: For all products from the stairs range, please follow the installation instructions for our parquet floors, which are generally applicable.

Complete steps 3 in 1 made of original HARO Longstrip Parquet

Complete steps 3 in 1 made of original HARO Longstrip Parquet

for the cladding of concrete stairs and window sills.
Tread, front and riser in one made of original HARO Parquet.
Can be manufactured from any HARO 3-layer Longstrip Parquet. Dimensions as desired.
Product line order.
Delivery time approx. 5 weeks.



Complete step 3 in 1 - straight



Complete step 3 in 1 - winding

Complete steps 3 in 1, Modern'

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 300 mm	PG1	544229		
	PG2	544230		
	PG3	544231		
straight step, long - from 1080 mm Tread depth up to 300 mm	PG1	544232		
	PG2	544233		
	PG3	544234		
winding step	PG1	544235		
	PG2	544236		
	PG3	544237		



with edge strip

Edge strip for complete step 3 in 1, Modern'

Edge strip on the right and/or left.

	Price group	ID N°	€ excl. VAT	
One sided - right or left	PG1	544238		
	PG2	544239		
	PG3	544240		
Both sides - right and left	PG1	544241		
	PG2	544242		
	PG3	544243		

PG1: Oak, Beech Steamed, Ash, Sycamore
PG2: Amber Oak
PG3: Walnut, Canadian Maple

Format boards

made of original HARO Plank 1-Strip Parquet

Format boards made of HARO Plank 1-Strip Parquet

for the cladding of concrete stairs as well as window sills.

Tread and front in one made of original HARO Parquet. Can be manufactured from any HARO 3-layer Plank 1-Strip Parquet.

Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.



Format board „Classic“

Angled front.

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 300 mm	PG1	541994		
	PG2	541995		
	PG3	541996		
straight step, long - from 1080 mm Tread depth up to 300 mm	PG1	541997		
	PG2	541998		
	PG3	541999		
winding step	PG1	542000		
	PG2	542001		
	PG3	542002		



Angled edge on the side for format board „Classic“

Angled edge on the side on the right and/or left. Only possible with straight steps of the „Classic“ format board. The dimensions of the angled edge are the same as the angle of the „Classic“ format board.

	Price group	ID N°	€ excl. VAT	
One sided - right or left	PG1	542003		
	PG2	542004		
	PG3	542005		
Both sides - right and left	PG1	542006		
	PG2	542007		
	PG3	542008		



Format board „Modern“

Straight front edge with or without connection of your choice.

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 300 mm	PG1	542009		
	PG2	542010		
	PG3	542011		
straight step, long - from 1080 mm Tread depth up to 300 mm	PG1	542012		
	PG2	542013		
	PG3	542014		
winding step	PG1	542015		
	PG2	542016		
	PG3	542017		

PG1: Oak, Fir, Beech Steamed, Ash

PG2: Amber Oak, Fumed Oak, African Oak

PG3: Walnut, Canadian Maple

The quoted prices are valid for a tread depth of up to 300 mm. Other formats are possible on request.

Matching risers can be found on page 162. parkettmanufaktur on request.

Note: For all products from the stairs range, please follow the installation instructions for our parquet floors, which are generally applicable.

Format boards

made of original HARO Longstrip Parquet

Format boards made of HARO Longstrip Parquet

for the cladding of concrete stairs as well as window sills.

Tread and front in one made of original HARO Parquet. Can be manufactured from any HARO 3-layer Longstrip Parquet.

Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.



Format board „Classic“

Format board „Classic“

Angled front.

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 300 mm	PG1	542018		
	PG2	542019		
	PG3	542020		
straight step, long - from 1080 mm Tread depth up to 300 mm	PG1	542021		
	PG2	542022		
	PG3	542023		
winding step	PG1	542024		
	PG2	542025		
	PG3	542026		

Angled edge on the side for format board „Classic“

Angled edge on the side on the right and/or left. Only possible with straight steps of the „Classic“ format board. The dimensions of the angled edge are the same as the angle of the „Classic“ format board.



Angled edge on the side for format board „Classic“

	Price group	ID N°	€ excl. VAT	
One sided - right or left	PG1	542027		
	PG2	542028		
	PG3	542029		
Both sides - right and left	PG1	542030		
	PG2	542031		
	PG3	542032		

Format board „Modern“

Straight front edge with or without connection of your choice.



Format board „Modern“

	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm Tread depth up to 300 mm	PG1	542033		
	PG2	542034		
	PG3	542035		
straight step, long - from 1080 mm Tread depth up to 300 mm	PG1	542036		
	PG2	542037		
	PG3	542038		
winding step	PG1	542039		
	PG2	542040		
	PG3	542041		

PG1: Oak, Beech Steamed, Ash, Sycamore

PG2: Amber Oak

PG3: Walnut, Canadian Maple

Risers and loose edge strips made of original HARO Parquet



Risers made of original HARO Parquet

With connection on one side or without connection, depending on the chosen variant.

With double-sided edge strip on the right and/or left side, depending on the chosen variant.

Product line order

Delivery time approx. 5 weeks

for Plank 1-Strip	Price group	ID N°	€ excl. VAT	
riser, short - up to 1070 mm	PG1	540588		
	PG2	540589		
	PG3	540590		
Riser, long - from 1080 mm	PG1	540591		
	PG2	540592		
	PG3	540593		

for Longstrip	Price group	ID N°	€ excl. VAT	
riser, short - up to 1070 mm	PG1	540612		
	PG2	540613		
	PG3	540614		
Riser, long - from 1080 mm	PG1	540615		
	PG2	540616		
	PG3	540617		

Price groups for Plank 1-Strip:

PG1: Oak, Fir, Beech Steamed, Ash

PG2: Amber Oak, Fumed Oak, African Oak

PG3: Walnut, Canadian Maple

Price groups for Longstrip:

PG1: Oak, Beech Steamed, Ash, Sycamore

PG2: Amber Oak

PG3: Walnut, Canadian Maple



Riser MDF, white finish

Flexible in use.

Only possible without connection.

With double-sided edge strip on the right and/or left, depending on your choice.

Similar to RAL 9016.

Thickness 16 mm

Product line order

Delivery time approx. 5 weeks

	ID N°	€ excl. VAT	
riser white, short - up to 1070 mm	540594		
riser white, long - from 1080 mm	540595		



Loose edge strips

For cladding stairs that are open at the sides. Customised production dimensions are possible within the board dimensions. Thickness 2 mm


Product line order

Delivery time approx. 5 weeks

for Plank 1-Strip	ID N°	€ excl. VAT	
	547909		

Panelling on the sides of the stairs for the cladding of concrete stairs

All components have a mitre joint on the right and/or the left side.
Can be manufactured from any HARO 3-layer Parquet



Tread and riser

For the tread and riser, the desired parquet floor is cut to the required length with mitred edges (left, right or on both sides).

Product line order. Delivery time approx. 5 weeks

	ID N°	PU	€ excl. VAT	
Tread	533185	1 pc.		
Riser	533186	1 pc.		



Stair nosing with connection

The stair noses are delivered in the same length as the treads and risers (incl. the desired mitred edges).

Product line order. Delivery time approx. 5 weeks

③	ID N°	PU	€ excl. VAT	
Surface layer dimensions 60 x 60 mm	533187	1 pc.		
Surface layer dimensions 120 x 60 mm	539663	1 pc.		
Special dimensions	541383	1 pc.		



Side edging – cover (height 75 mm)

The panel is supplied with a mitre joint on three sides along the entire length of the board. The panels must be cut to the required size on site.

Product line order. Delivery time approx. 5 weeks

④	ID N°	PU	€ excl. VAT	
Side trim panel	533189	1 pc.		

The calculation is based on the delivered running length.

Stair nosings Parquet

Stair nosings for parkettmanufaktur floors

for glue-down installation

Product line order
Delivery time approx. 3 week

Original board length
PU: 1 piece



Stair nosing with connection on one side

Tread: 60 mm
Riser: 60 mm

Stair nosing with connection on both sides

Tread: 120 mm
Riser: 60 mm

Stair nosing, angled

Tread: 60 mm
Riser: 40 mm
Angled part: 20 mm

	Price group	ID N°	€ excl. VAT				€ excl. VAT			ID N°	€ excl. VAT	
for parkettmanufaktur Plank 1-Strip	PG1	543618				543621				543624		
	PG2	543619				543622				543625		
	PG3	543620				543623				543626		

Price groups:

PG1: Oak, Ash, Oak Barrique, Ash Barrique

PG2: Amber Oak, African Oak


PG3: Oak Smoked



Parquet stair nosings with edge protection

Stair nosings made of HARO Parquet incl. edge protection aluminium silver anodised
for glue-down installation

Product line order
Delivery time approx. 3 weeks



Original board length
PU: 1 piece

Wood species	ID N°	€ excl. VAT	
As chosen	535020		

Stair nosings made of parquet and parkettmanufaktur flooring, special production

On request, other formats and connections are available for the entire range of stair nosings. Technical clearance by HARO's technical department Anwendungstechnik is required.

for glue-down installation

Product line order
Delivery time approx. 3 week

Original board length
PU: 1 piece

Wood species	ID N°	€ excl. VAT	
Parquet	527908		
parkettmanufaktur	543627		

The calculations are based on the entire board length!

Stair nosings **Laminate Floor**



Stair nosings for Laminate Floors with edge-protection for TRITTY 100 (8 mm), TRITTY 200 Aqua (8 mm)

Stair nosings made of HARO Laminate Flooring incl. edge protection aluminium silver anodised. For the top stair nosing, please use the stair nosing Euro-Step Type 320 (ID No. 411837). This enables subsequent floating installation.

For customisation options, see page 169.

On request, other formats and connections are available for the entire range of stair nosings.

for glue-down installation

Product line order

Delivery time approx. 3 week

Original board length

PU: 1 piece

Style	ID N°	€ excl. VAT	
As chosen	533190		

Stair nosings **DISANO**



Stair nosings made of DISANO with edge protection

Stair nosings made of design flooring incl. edge protection aluminium silver anodised
For customisation options, see page 169.

for glue-down installation

Product line order

Delivery time approx. 3 week

Original board length

PU: 1 piece

Style	ID N°	€ excl. VAT	
As chosen	539134		

Stair nosings made of DISANO custom-made

On request, other formats and connections are available for the entire range of stair nosings. Technical clearance by HARO's technical department Anwendungstechnik is required.

for glue-down installation

Product line order


Delivery time approx. 3 weeks

Original board length

PU: 1 piece

Style	ID N°	€ excl. VAT	
As chosen	538334		


The calculations are based on the entire board length!



HARO Stairs - Overview of customisation options

Board dimensions B x L	Block steps straight step Winding steps	Format board „Classic/Modern“ straight step Winding steps	Complete steps 3 in 1 „Classic/Modern“ straight step Winding steps	
Parquet Floor				
3-layer construction (4000 Series)				
Plank 1-Strip 180 (13.5 mm)	180 (173) x 2200 mm	✓	✓	✓
Plank 1-Strip/3-Strip XL Plaza 240 (13.5 mm)	240 (220) x 2200 mm	✓	✓	✓
Longstrip (13.5 mm)	180 x 2200 mm	✓	✓	✓
2-layer construction (4000 Series)				
Plank 1-Strip Maxim (11.0 mm)	180 (173) x 2200 mm	—	—	—
Plank 1-Strip Prestige (10.0 mm)	120 x 1000 mm	—	—	—
Strip Classico (10.0 mm)	85 x 771 mm	—	—	—
Strip Allegro (10.0 mm)	70 x 490 mm	—	—	—
3-layer construction (2500 Series)				
Plank 1-Strip (12.0 mm)	180 x 2200 mm	✓	✓	✓
Longstrip (12.0 mm)	180 x 2200 mm	✓	✓	✓
parkettmanufaktur by HARO				
Plank 1-Strip (13.5 mm)	180 (173) x 2200 mm	✓	✓	✓
Plank 1-Strip XL (19.5 mm)	B 300 mm L 3500 - 4000 mm	✓	✓	✓
Carré (16 mm)	180 x 2200 mm	—	—	—
Plank 1-Strip Prestige (10.0 mm)	120 x 1000 mm	—	—	—
Strip Chevron (11.3 mm)	140 x 740 mm	—	—	—
Parquet Tile (18 mm)	650 x 650 mm	—	—	—

Stair nosings – Overview of customisation options



Board dimensions B x L

Parquet Floor (Special order ID number ID N° 527908 / with edge protection ID N° 535020) 3-layer construction (4000 Series)

Plank 1-Strip 180 (13.5 mm)	180 (173) x 2200 mm	✓	✓	✓
Plank 1-Strip/3-Strip XL Plaza 240 (13.5 mm)	240 (220) x 2200 mm	✓	✓	✓
Longstrip (13.5 mm)	180 x 2200 mm	✓	✓	✓

2-layer construction (4000 Series)

Plank 1-Strip Maxim (11.0 mm)	180 (173) x 2200 mm	✓	✓	✓
Plank 1-Strip Prestige (10.0 mm) *	120 x 1000 mm	✓	✓ connection on both sides with the dimensions 60x60 mm	✓
Strip Classico (10.0 mm)	85 x 771 mm	—	—	—
Strip Allegro (10.0 mm)	70 x 490 mm	—	—	—

3-layer construction (2500 Series)

Plank 1-Strip (12.0 mm)	180 x 2200 mm	✓	✓	✓
Longstrip (12.0 mm)	180 x 2200 mm	✓	✓	✓

parkettmanufaktur by HARO

Plank 1-Strip (13.5 mm)	180 (173) x 2200 mm	✓	✓	✓
Plank 1-Strip XL (19.5 mm)	B 300 mm L 3500 - 4000 mm	✓	✓	✓
Carré (16 mm)	180 x 2200 mm	—	—	—
Plank 1-Strip Prestige (10.0 mm)	120 x 1000 mm	✓	✓ connection on both sides with the dimensions 60x60 mm	✓
Strip Chevron (11.3 mm)	140 x 740 mm	—	—	—
Parquet Tile (8 mm)	650 x 650 mm	—	—	—


Design floor - DISANO (Special order ID number ID N° 538334 / with edge protection ID N° 539134)

DISANO Project (2 mm)	245 x 1300 mm	No ready-to-install stair nosings available. Only glued with aluminium stair nosing Type 870	—	—
DISANO ClassicAqua (9.8 mm)	235 x 2035 mm	✓ Available with or without edge protection	✓ connection on both sides is only possible when the entire board length is processed with the dimensions 60 x 175 mm	✓
DISANO LifeAqua (8.8 mm)	235 x 2035 mm 235 x 1282 mm	✓ only possible with edge protection	✓ only possible with edge protection	—
DISANO WaveAqua (8 mm)	243 x 2200 mm 193 x 1282 mm	✓ only possible with edge protection	✓ only possible with edge protection	—

Laminate Floor - In general, stair nosings made of laminate can only be manufactured with edge protection. (Special order ID number ID N° 533190)

TRITTY 200 Aqua (8 mm)	193 x 1282 mm 243 x 2200 mm 320 x 1330 mm 601 x 1184 mm	✓ only possible with edge protection	✓ only possible with edge protection	—
TRITTY 100 (8 mm)	193 x 1282 mm 243 x 2200 mm	✓ only possible with edge protection	✓ only possible with edge protection	—
Sonderedition NKL 32 (8 mm)	193 x 1282 mm	—	—	—
TRITTY 90 (7 mm)	193 x 1282 mm	—	—	—
Special Edition NKL 31 (7 mm)	193 x 1282 mm	—	—	—

Stair nosings made of aluminium for parquet and laminate

[Product line orders](#)


Euro-Step stair nosings type 320

Two-piece, screw-on moulding system. The cover section can be removed at any time and can be precisely readjusted by setting the screws. The wider base section ensures enhanced stability and safety at the edges.

For floor coverings between 7 and 16 mm. Aluminium anodised.

	ID N°	PU	€ excl. VAT	
silver, length 100 cm	411837	1 pc.		
silver, length 270 cm	411838	1 pc.		



Sloping edge type 3402

For the facing of the stair's riser; allows the optimal use of the available tread width.

Only usable in combination with stair nosing Euro-Step model 320.


With countersunk holes.

Phillips head screws 3.5 x 30 mm enclosed. Aluminium

Length: 100 cm

	ID N°	PU	€ excl. VAT	
	411839	1 pc.		

Stair nosings made of aluminium for the DISANO Design Floor

[Product line orders](#)


Stair nosing for DISANO Design Floor

One-piece stair nosing especially for low floor heights.

Screw-mountable and precisely adjustable; can also be glued.

Style available in gold, silver, bronze and stainless steel/titan.

Length: 250 cm

	ID N°	PU	€ excl. VAT	
❶ Type 870 for DISANO Project	411840	1 pc.		
❷ Type 873 for DISANO Saphir	411841	1 pc.		
❸ Type 874 for DISANO SmartAqua	411842	1 pc.		
❹ Type 875 for DISANO LifeAqua	411843	1 pc.		



Stair nosing Type 870 EC for DISANO Project


One-piece 90° corner as a supplement for stair nosing profile type 870. For optimal barefoot walking on open stairs. Screw-mountable and precisely adjustable.

When ordering, please specify whether you need a left or right L-shape.

Style available in silver.

	ID N°	PU	€ excl. VAT	
❶ Length 30 x 30 cm	411844	1 pc.		
❷ Length 100 x 30 cm	411845	1 pc.		
Length 150 x 30 cm	411846	1 pc.		

Angled moulding made of aluminium, universally applicable


[Product line orders](#)


Angled Moulding Type 236

Essential in professional staircase renovation. Ensures safety and protection. The stair nosings are also suitable for spiral staircases and landings, and give the stairs a decorative timeless appearance. Stair nosing with countersunk mounting holes and decorative grooves on one side.

Length: 270 cm

	ID N°	PU	€ excl. VAT	
silver	411847	1 pc.		




Angled Moulding Type 235

Essential in professional staircase renovation. Ensures safety and protection. The stair nosings are also suitable for spiral staircases and landings, and give the stairs a decorative timeless appearance. Stair nosing with countersunk mounting holes and decorative grooves on one side.

Length: 270 cm

	ID N°	PU	€ excl. VAT	
silver	411848	1 pc.		



Angled Moulding Type 225

Essential in professional staircase renovation. Ensures safety and protection. The stair nosings are also suitable for spiral staircases and landings, and give the stairs a decorative timeless appearance. Stair nosing with countersunk mounting holes and decorative grooves on one side.

Length: 250 cm

	ID N°	PU	€ excl. VAT	
silver	411849	1 pc.		

Installation HARO Stairs



ES adhesive (elastic adhesive)

Solvent-free and water-free 1-component MS elastic adhesive for glue-down installation of parquet and HARO Stairs; remains flexible after hardening, is ready to use, has very low emissions (EC1 PLUS classified). Suitable for use over underfloor heating. Bucket made from 50% recycled material.

Coverage:
approx. 750 - 1250 g/m²
depending on the notched applicator

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410563	1 pc. = 18 kg	4 pc. = 72 kg		
410565	1 pc. = 9 kg	12 pc. = 108 kg		



Mounting adhesive

- Very good initial adhesion
- Permanently elastic, odourless curing
- Solvent free, silicone free, isocyanate free, free from plasticising ingredients
- Versatile, e.g. for HARO Wall and HARO Stairs, skirtings and mouldings

Contents: 290 ml
Coverage: 1 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411160	1 pc.	20 pc.		